according to OHSA HCS 29 CFR 1910.1200(g)



Trade name: NanoFuel® Solvent Revision date: 6/01/2020

Product No: 399

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifiers

Product name: NanoFuel® Solvent

Product No.: 399

Manufacturer: Prolume / NanoLight

CAS-no.: N/A EC-no.: N/A

Other means of identification:

Relevant identified uses of the substance or mixture and uses advised against

Identified uses: solvent for luciferins, coelenterazine

Details of the supplier of the safety data sheet

Supplier: Prolume

P.O. Box 2746 Pinetop, AZ 85935

USA

phone: +1 928-367-1200

email: info@prolume.com

Emergency telephone number

Phone: +1 928-367-1200

2. HAZARD IDENTIFICATION

Classification of the substance or mixture

GHS classification in accordance with 29 CFR 1910 (OSHA HCS) and No 1272/2008 [CLP] (EC)

Flammable liquid, Category 3, H226

GHS label elements including precautionary statements

Pictogram
Signal word Warning

CAT# 399 NanoFuel®-Solvent

www.nanolight.com Page 1 of 7

according to OHSA HCS 29 CFR 1910.1200(g)



Trade name: NanoFuel® Solvent Revision date: 6/01/2020

Product No: 399

Hazard statement H226 Flammable liquid and vapor.

Precautionary

statements: P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam

for extinction.

P403 + P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/ container to an approved waste disposal plant

NFPA ratings (scale 0-4)

Health = 0

Fire = 1

Reactivity = 0

HMIS-ratings (scale 0-4)

Health = 0

Fire = 1

Reactivity = 0

Hazards not otherwise classified (HNOC) or not covered by GHS

none

3. COMPOSTION/INFORMATION ON INGREDIENTS

Substances

Hazardous ingredient

Ethanol (>= 20% - <80%), CAS-No. 64-17-5, Exact percentages are being withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

according to OHSA HCS 29 CFR 1910.1200(g)



Trade name: NanoFuel® Solvent Revision date: 6/01/2020

Product No: 399

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water and drink plenty of water. Consult a physician.

Most important symptoms and effects, both acute and delayed

None

Indication of any immediate medical attention and special treatment needed

No further relevant data available

5. FIREFIGHTING MEASURES

Suitable extinguishing media

Water, dry chemical, carbon dioxide, halon, or standard foam

Special protective equipment for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

6. ACCIDENTIAL RELEASE MEASURES

Personal precautions

Avoid breathing vapors, mist or gas. Remove all sources of ignition.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods and materials for containment and cleaning up

Absorb with inert material and arrange disposal. Sweep up and shovel. Keep in suitable, closed containers for disposal. Wipe surface with moist towel.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid inhalation of vapor or mist. Avoid direct contact with substance. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

8. EXPOSURE CONTROLS - PERSONAL PROTECTION

Components with workplace control parameter

Substance: NanoFuel

Control parameter: Ethanol (CAS# 64-17-5) 1000 ppm or 1900 mg/m³ TWA

CAT# 399 NanoFuel®-Solvent

www.nanolight.com Page 3 of 7

according to OHSA HCS 29 CFR 1910.1200(g)



Trade name: NanoFuel® Solvent Revision date: 6/01/2020

Product No: 399

Personal protective equipment

Hand protection: Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Respiratory protection: Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Eye protection: Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). **Hygiene measures:** Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Chemical Name	NanoFuel Solvent
Appearance	Clear liquid
Odor	Alcohol like
Odor threshold	No data available
рН	No data available
Melting point / freezing point	No data available
Boiling point	No data available
Flash point	Approx. 35°C
Evaporate rate	No data available
Flammability	Flammable
Explosive limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	No data available
Solubility	Soluble
Partition coefficient: n-octoanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available

according to OHSA HCS 29 CFR 1910.1200(g)



Trade name: NanoFuel® Solvent Revision date: 6/01/2020

Product No: 399

Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available

10. STABILITY AND REACTIVITY

Reactivity: Vapor/air mixtures are explosive at intense warming.

Chemical stability: Stable under recommended storage conditions.

Possibility of hazardous reactions: risk of explosion with strong oxidizing agents

Conditions to avoid: excessive warming

Materials to avoid: No data available

Hazardous decomposition products: no information available

11. TOXICOLOGICAL INFORMATION

Acute toxicity: Oral LD50 10470 mg/kg (rat)

Inhalation LC50 124.7 mg/l, 4h, vapor

Dermal LD50 None

Other information on acute toxicity no data available

Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: May be irritating in dust form

Respiratory or skin sensitization: May be irritating to respiratory tract and mucus membranes

Germ cell mutagenicity: no data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available

Specific target organ toxicity - single exposure (Globally Harmonized System): no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System): no data available

CAT# 399 NanoFuel®-Solvent

www.nanolight.com Page 5 of 7

according to OHSA HCS 29 CFR 1910.1200(g)



Trade name: NanoFuel® Solvent Revision date: 6/01/2020

Product No: 399

Aspiration hazard: no data available **Additional Information RTECS:** None

12. ECOLOGICAL INFORMATION

Toxicity: no information available

Persistence and degradability: no information available

Biodegradation: no information available **Mobility in soil:** no information available

Results of PBT and vPvB assessment: no information available as chemical safety assessment not

required/not conducted

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional

handling or disposal.

13. DISPOSAL CONSIDERATIONS

Do not dispose product directly into sewage. Consult local state or national regulation for proper disposal.

14. TRANSPORT INFORMATION

IATA, IMDG, DOT(US) transport regulation exempt due to low quantity.

UN number: none

UN proper shipping name: none Transport hazard class: none

Packing group: none

Environmental hazards: none
Special precaution for user: none

15. REGULATORY INFORMATION

US Federal Regulations US Toxic Substances Control Act(TSCA): Not listed

SARA 302: No chemicals were found.

SARA 313: No chemicals were found.

SARA 311/312 Hazards: No chemicals were found.

according to OHSA HCS 29 CFR 1910.1200(g)



Trade name: NanoFuel® Solvent Revision date: 6/01/2020

Product No: 399

16. OTHER INFORMATION

Classification according to Regulation (EC) Nr. 1272/2008

Prepared by: Regulatory Department - Prolume Inc.

Copyright 2020 Prolume Inc. License granted to make unlimited paper copies for documentation use only. The information provided above is believed to be correct to our best knowledge, but does not purport to be all inclusive, and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Its use must be supervised by a technically qualified individual experienced in handling potentially

Its use must be supervised by a technically qualified individual experienced in handling potentially hazardous chemicals. Prolume shall not be held liable for any damage resulting from handling or contact with the above product.

Department issuing SDS:

Prolume Inc. P.O. Box 2746 Pinetop, AZ 85935

Date of preparation / revision: 06/01/2020

Abbreviations and acronyms:

DOT: US Department of Transportation IATA: International Air Transport Association

IMDG: International Maritime Code for Dangerous Goods

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health